

# More Safe

DoP

**1. Name and identification code:**

MORE SAFE	M STD A13-EN520:2004+ A1:2009
-----------	-------------------------------

**2. Name and manufacturer address:**

Yesos Ibéricos S.A.  
Paseo de Recoletos, 3 28004 Madrid – Spain

**3. Intended use:**

Use in plasterboard systems

**4. System of assessment and verification of constancy of performances: 4**

**5. Notified body: NA**

**6. Declared performance:**

Essential characteristics	Performances	Harmonized Technical Specification
Reaction to fire	A1	EN 520 :2004+ A1:2009
Shear strength	NPD	NPD
Water vapour permeability	25	EN 12524:2000
Flexural strength longitudinal		
Thickness 12,5 mm.	≥550 N	EN 520 :2004+ A1:2009
Flexural strength transversal		
Thickness 12,5 mm.	≥210 N	EN 520 :2004+ A1:2009
Thermal resistance	0,21	EN 12524:2000
Direct airborne sound insulation	See technical documentation	--
Impact resistance		
Acoustic absorption		

All essential characteristics described in the first column of this table correspond to those described in the standard EN 520:2004+A1:2009.

The performance of the product identified in paragraph 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.



Skive, 16th December 2015.